

7.1.4 DESCRIBE THE FACILITIES IN THE INSITUTION FOR THE MANAGEMENT OF THE FOLLOWING TYPES OF DEGRADABLE AND NON-DEGRADABLE WASTE.

BIOMEDICAL WASTE MANAGEMENT -

The waste divided into bio hazardous liquid waste and bio hazardous solid waste, treated according to proper protocol recommended by the bio hazardous and bio medical waste management Agency lived by the Institute.


E - WASTE MANAGEMENT -

In our college / institute we have safe options to disposed old computers, which are in working condition donating them to organization warning in the field of education.

RECYCLING PLANT -

Rain water harvesting is done by collecting it into the bore well also used up in the garden.

BIOMEDICAL WASTE CERTIFICATE




Certificate of Registration for Membership of Common Biomedical Disposal Facility as per Authorization for Generation, Collection, Reception, Segregation, Storage, and Disposal of Bio-Medical Wastes under Rule 199B & amended there on.


Registration No.	: SRD / 305
Date of Registration	: 18 th March, 2021.
Date of Issue of Certificate	: 01 st October, 2022.
Place	: Ahmednagar.
Name & Address	: Shiva Trust's Sharadchandraji Pawar Homoeopathic Medical Collage & Hospital. At Post : Wadala Mahadev, Newasa – Shirampur Road, Tal : Shirampur, Dist : Ahmednagar.
Type of Institute	: Hospital.
No. of Beds	: 25 (Twenty Five)
Approx. Qty. of Waste Generated/day:	2.5 Kg.

This Certificate is valid from 01st October 2022 to 30th September 2023.

This is to certify that above Doctor / Institute is registered with us and having membership of our CBMWTSDF for collection, transportation & disposal of biomedical waste generated at his / there institute.

Note :- In case of violation of BMMV rules 199B & amended there on or default for due payments of BMMV Services all rights are reserved with signing authorities for cancellation of this certificate.

For, 
For, Bioclean Systems (India) Pvt. Ltd.
Ahmednagar.



BIO-MEDICAL WASTE AUTHORISATION -

MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office

Ph.No. 0241-2470852
E-Mail-
sroahmednagar@mpcb.gov.in



Savitribai Phule Vyaspari sankul,
1st floor, Hall No. 2 & 3, Near,
T. V. Centre, Saveli,
Ahmednagar-414003

"Your Service is our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for of Bio-Medical Wastes under See Rule 10]

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of biomedical waste)

I. File number of authorization and date of issue

SRO-AHMEDNAGAR/BMW_AUTH/2206000276

Date - 17/06/2022

- II. Ms. Shiva Trusts Sharadchandraji Pawar Med. Homeopathic Hospital, is hereby granted an authorization for generation of biomedical waste on the premises situated at AA Post, Wadala Mahadeo, Tal. Shirurampur, Dist. Ahmednagar.
- III. This authorization shall be in force for a period up to 31.08.2025. An application shall be made by the occupier/operator for renewal 3 months before expiry of earlier authorization.
- IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 25 beds.

Terms and Conditions of authorization

1. The "authorized person" Dr. Balasheb Shivajirao Pawar of Ms. Shiva Trusts Sharadchandraji Pawar Med. Homeopathic Hospital shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in b

MPCB-BMW_AUTH- 0000042224



Page 1 | 5

Sr. No.	Category	Type of Waste	Quantity Generated or Collected, Kg/Day	Method of Treatment and Disposal (Refer Schedule-I)
1	Yellow	a) Human Anatomical Waste	30.00 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorized by MPCB
		b) Animal Anatomical Waste		
		c) Soiled Waste		
		d) Expired or Discarded Medicines		
		e) Chemical Solid Waste		
		f) Chemical Liquid Waste		
		g) Discarded Linen, Mattresses, beddings contaminated with blood or body fluid.		
		h) Microbiology, Biotechnology and other clinical laboratory waste		
2	Red	Contaminated Waste (Recyclable)	---	Bio-medical Waste shall be sent to CBMWTSDF authorized by MPCB
3	White (Translucent)	Waste Sharps/Instruments Metals	05.00 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorized by MPCB
4	Blue	Glassware	17.00 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorized by MPCB
		Metallic Body Implants		

7. The liquid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably providing effluent treatment facility to conform the standards prescribed in Schedule II of Hazardous and Other Wastes (Management and Handling) Rules, 1989 and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule II of said Rules.

(ii) You shall setup requisite BMW, treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal site in accordance with the BMW rules 2016. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous & Other Wastes (M & TM) Rules, 2016 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.

1/16/2022



- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV- Part-A.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule IX, also carry information prescribed in Schedule IV Part B and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) Untreated human anatomical waste, animal anatomical waste, soiled waste and, biotechnology waste shall not be stored beyond a period of forty- eight hours. Provided that in case for any reason it becomes necessary to store such waste beyond such a period, the occupier shall take appropriate measures to ensure that the waste does not adversely affect human health and the environment and inform the prescribed authority along with the reasons for doing so.
- (vi) Microbiology waste and all other clinical laboratory waste shall be pre-treated by sterilization to Log 6 or disinfection to Log 4, as per the World Health Organization guidelines before packing and sending to the common bio-medical waste treatment facility.

10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-Medical waste.

(I) When operating a gravity flow autoclave, medical waste shall be Subjected to:

- (i) a temperature of not less than 121 °C and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
- (ii) a temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
- (iii) a temperature of not less than 149 °C and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.

(II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.

- (i) a temperature of not less than 121 °C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
- (ii) a temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or

(III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.



- (IV) *Recording of operational parameters.* - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing.* - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^6 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 °C or a pressure, less than 15 psi.
- (VI) *Routine Test.* A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW for period of 5 years in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. Accident reporting - 1) In case of any major accident at any institution or facility or any other site while handling bio-medical waste, the authorized person shall intimate immediately to the prescribed authority about such accident and forward a report within twenty-four hours in writing regarding the remedial steps taken in Form I.
- 2) Information regarding all other accidents and remedial steps taken shall be provided in the annual report in accordance with rule 13 by the occupier.
14. This authorization is issued subject to condition as mentioned below.
- You shall submit compliance of authorization conditions every six months to Sub-Regional Office Ahmednagar.
- i) You shall provide Annual report in Form-II duly certified by facility operator.
- iii) You shall obtain Consent to Operate from Board under Water (P &CP) Act, 1974 and Air (P &CP) Act, 1981, forthwith.
- iv) The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
- v) The Hospital shall not carry any expansion, change, Addition, Modification, and Modernization in the existing set up till to obtain prior permission from the Board
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

16. The Hospital Authority shall furnish Bank Guarantee of Rs. 25,000/- having validity up to 31/12/2025 drawn in favor of Regional Officer, MPCB, Nashik towards compliance of conditions of authorization within 15 days from date of issuance of the authorization as per Circular of MPCB, HQ, Mumbai vide letter No. MPCB/PSO/BMW/B-, dtd.-10-04-2013.
17. HCE shall obtain consent from the Board under Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.
18. HCE shall submit the Annual Report within 15 day's.

For and on behalf of the
Maharashtra Pollution Control Board



(Chandrakant Shinde)
Sub-Regional Officer, Ahmednagar.

To,
M/s. Shiva Trusts Sharadchandraji Pawar Med. Homeopathic Hospital,
At. Post. Wadala Mahadeo,
Tal. Shrirampur, Dist. Ahmednagar.

Authorization Fees Received:-


Sr. No.	Amount	Transaction No. / DR. No.	Transaction Date
1.	6250.00	TXN2203002556	18-03-2022
2.	6250.00	MPCB-DR-12364	16-06-2022




चंडी बटेल (२४)
 वाचना अथवा टोकटा करू,
 भोजन, पिना,
 बाघ (तुलना) इत्यादी

विद्यार्थी नियम
 सर्वे ज्ञान ज्ञान हीन वा
 सुखी अथवा
 हीन वा
 ज्ञान हीन वा
 वा ज्ञान वा हीन वा
 हीन वा हीन वा

सात नियम
 वेदां, एतत्, सुत्,
 ब्राह्मणे वे, इत्यादी ज्ञाने
 एतत् ब्राह्मणे वा वाच्ये वा

 **GPS Map Camera**

Ahmednagar, Maharashtra, India
 JP99+29H, MH SH 44, Maharashtra 413739, India
 Lat 19.617517°
 Long 74.718594°
 29/09/23 02:19 PM GMT +05:30





काचा (तुटलल्या) इत्यादा
दुधित झालेले कापूस

GPS Map Camera



Ahmednagar, Maharashtra, India
JP99+29H, MH SH 44, Maharashtra 413739, India
Lat 19.617517°
Long 74.718594°
29/09/23 02:18 PM GMT +05:30